| TS STATTY AL | Technical Standards and Safety Authority 345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel: 416.734.3300 Fax: 416.734.3202 Customer Service: 1.877.682.8772 licensingandregistration@tssa.org www.tssa.org | Application for a Review of a Risk and Safety Management Plan (RSMP) for an Existing Propane Facility <i>Technical Standards and Safety Ac</i> Propane Storage and Handling Regulation | | | | | | | | |
|--------------------------|--|---|--|--|--|--|--|--|--|--|
| | Failure to fully complete this form may resul Making a false statement may result in a fine o | | | | | | | | | |
| | pane Storage and Handling Regulation. Firm Name | an RSMP under Ontario's <i>Technical Standards and Safety Act,</i> Ontario Corporation No., if applicable | | | | | | | | |
| | E-mail Address | | | | | | | | | |
| | Area Code Telephone No. Contact Per | on | | | | | | | | |
| B | Street No. Street Name, P.O. Box No., etc, | | | | | | | | | |
| Mailing Address B | Town / City or Township / County | Province Postal Code | | | | | | | | |
| Inf C | Formation on Container Refill Centre or Filling Plant Location of premises to be licensed Street No. Street Name, Lot / Concession No. | | | | | | | | | |
| | Town / City or Township / County | Province Postal Code | | | | | | | | |
| D | Supplier | | | | | | | | | |
| | Street No. Street Name, Lot / Concession No. | | | | | | | | | |
| | Town / City or Township / County | Province Postal Code | | | | | | | | |
| 1 | Licence Number | Total Storage Capacity | | | | | | | | |
| | Persons employed that hold a required certificate or Name Record of Training. Add an additional sheet if insufficient space. | In U.S. Water Gallons Certificate Number Certificate Number Certificate Number | | | | | | | | |

Application is valid for 12 months from date received by TSSA. You are required by law to notify TSSA of any change of information.

| I certify that the above information is true. | Date (mm-dd-yyyy) | |
|---|-------------------|--|
| Print name of Owner/Operator | | |
| Position | Signature | |



Technical Standards and Safety Authority 345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel: 416.734.3300 Fax: 416.734.3202 Customer Service: 1.877.682.8772 licensingandregistration@tssa.org www.tssa.org

Application for a Review of a Risk and Safety Management Plan (RSMP) for an Existing Propane Facility

Technical Standards and Safety Act Propane Storage and Handling Regulation

Note:

The following fees are applicable only if there are changes to the most recent RSMP submission. If this RSMP is for a new facility/License Holder Change, RSMP fees are charged as part of the initial application fee and the fees below do not apply. If there are no changes to the RSMP, no RSMP fees are due.

FEES (HST Registration No: 891131369)

| | | | | | | HST | | Total | |
|--------|---|-----------|----|----------|----|---------|-----|----------|----------|
| | | Fee | 5 | Service | on | Service | (In | cluding | Total |
| Select | Service | Туре | | Fee | | Fee | | HST) | Fees Due |
| | Risk Safety Management Plan (RSMP) - | | | | | | | | |
| | Changes to RSMP from prior year's submission | | | | | | | | |
| | Bulk Plant & Fill Sites - L1, <5,000 Gallons | | | | | | | | |
| | (includes review) | Flat* | \$ | 213.00 | \$ | 27.69 | \$ | 240.69 | |
| | Bulk Plant & Fill Sites - L2, >=5,000 Gallons | | | | | | | | |
| | (includes review, initial inspection, 1 follow-up and | | | | | | | | |
| | travel) (up to 7.5 engineering hrs and 6.5 inspection hrs | Minimum** | \$ | 2,134.00 | \$ | 277.42 | \$2 | 2,411.42 | |
| | Expedited Services*** | | | | | | | | |
| | Expedited Engineering Services | | | | | | | | |
| | (Additional charge to engineering review per site | | | | | | | | |
| | application) | Flat | \$ | 533.50 | \$ | 69.36 | \$ | 602.86 | |
| | • | - | | | | | | | |
| | | | | | | | | | |

If paying by credit card, amount in Box 1 to be entered in TSSA Service Prepayment Portal

1

All required fees must be prepaid for application to be processed. Fees are non-refundable. For payment options, see Payment Instructions

Total Fees Due

*Flat fees relating to engineering services or initial inspection may be subject to additional billing if engineering submissions are inadequate or require excessive engineering review/initial inspection time. Additional billing, if any, will be billed in 1/4 hour increments at the applicable hourly labour rate based on TSSA's posted fee schedule. All labour rates are per inspector or engineer.

**All minimum fees include specified hours. Excess time above the specified included hours will be billed in 1/4 hour increments at the applicable hourly labour rate based on TSSA's posted fee schedule. All labour rates are per inspector or engineer.

***Expedited Services

Expedited service fees are non-refundable

Expedited services places your application in an expedited service line.



Technical Standards and Safety Authority 345 Carlingview Drive Toronto, Ontario M9W 6N9 Customer Service: 1.877.682.8772 Email: customerservices@tssa.org www.tssa.org

PAYMENT INSTRUCTIONS

| TSSA use only | L # | CH # | |
|---------------|-----|------|--|
| WO # | | | |

If paying by cheque, bank draft, money order, this form must accompany all applications submitted to TSSA. A separate payment form is required for each application. Please refer to our fee schedule posted on our website www.tssa.org. HST Registration No: 891131369.

Payment Options:

Credit Card - Click link below

TSSA Service Prepayment Portal https://forms.tssa.org/Payments/Service-Prepayment-Portal

Cheque, Bank Draft or Money Order (payable to Technical Standards and Safety Authority)

Name of Applicant/Organization: Telephone No: Email Address:

Cheque/Bank Draft/Money Order #:_____

Mail payment along with a copy of your application to:

Attention: Accounts Receivable Technical Standards and Safety Authority 345 Carlingview Drive Toronto, Ontario M9W 6N9

If a copy of the application is not submitted with your payment, this will delay the processing of the application.

Dishonored Payments: A \$35 administration fee will apply for each returned item